

Login

Select Job Title

Accountant

Select Employee

Mr. Yen

Submit

110

120




Fig. 1

FD-2

InsightLook Environment

ApplicationDataImportsDataAnalysisQueriesAnalysisSearchAdmin

Knowledge Management

Query Details

Subjects

Main

Secondary

Players

Main

Secondary

Environment

Place

Time

310

320

options

options

options

options

options

options

options

options

aid

prevention

women

patient

Guided completion of the query

Manual filling of query details

Submit

Cancel

Fig. 3




Fig. 4




Fig. 5




Fig. 6

719

InsightLook Environment - [Text connections]

Application
DataImports
DataAnalysis
QueriesAnalysis
Search
Admin

Clusters

1, homosexual, aids  
2, cost — 712  
4, bartonella, aids — 710

Employees in selected cluster

Name: Dr. Zamir  
Mail Address: Zamir@MLI.com  
Job Title: Analyst  
Phone Number: 551212

☐ The cost per patient typically ranges from.....many people without adequate insurance.  
☐ Unfortunately, a disproportionate number of people with HIV are poor or lack insurance thus increasing...  
☐ According to the NEJM editorial, Medicaid is the largest health insurance program...  
☐ Not surprisingly, the RUND study showed that drug costs were higher among underserved groups, including... and patients without private insurance.  
☐ While many insurance carriers pays for these tests, many Medicaid programs do not...

☐ aids  
— patient, available  
— states, limited, some, others  
— researchers, 1996, average, 1998  
— insurance, doctors  
— disease, survival, progression, improved, welcome, response

Text connections

Pressing OK will refresh all data presented in this form

Fig. 7

Fig. 8






Fig. 9